# SQL - Kill Database Connections

```
/*

This is to kill off any connection to a database

Created by: Steve Ling 2022/03/20

*/

--This script will kill when ran

USE MASTER
GO

DECLARE @Spid INT
DECLARE @ExecSQL VARCHAR(255)

DECLARE KillCursor CURSOR LOCAL STATIC READ_ONLY FORWARD_ONLY
FOR
SELECT DISTINCT SPID
FROM MASTER..SysProcesses
WHERE DBID = DB_ID('TEST')

OPEN KillCursor

-- Grab the first SPID
FETCH NEXT
FROM KillCursor
INTO @Spid

WHILE @@FETCH_STATUS = 0
BEGIN
  SET @ExecSQL = 'KILL ' + CAST(@Spid AS VARCHAR(50))
```

```
    EXEC (@ExecSQL)

    -- Pull the next SPID
        FETCH NEXT
    FROM KillCursor
    INTO @Spid
END

CLOSE KillCursor

DEALLOCATE KillCursor

-- this script will give you selects and also kill

USE MASTER
GO

DECLARE @kill varchar(8000) = '';

SELECT @kill = @kill + 'kill ' + CONVERT(varchar(5), spid) + ';'
--select *
FROM master..sysprocesses

WHERE dbid = db_id('ESP_DEV')

EXEC(@kill);
```

Revision #0
Created 30 August 2024 20:17:35 by Admin
Updated 14 September 2026 03:09:16 by Admin