

Linux - Increase the size of a LVM Partition

This will cover how to increase the disk space for a VMware virtual machine running Linux that is using logical volume manager (LVM). Firstly we will be increasing the size of the actual disk on the VMware virtual machine, so at the hardware level – this is the VM's .vmdk file. Once this is complete we will get into the virtual machine and make the necessary changes through the operating system in order to take advantage of the additional space that has been provided by the hard drive being extended. This will involve creating a new partition with the new space, expanding the volume group and logical group, then finally resizing the file system.

Important Note: Be very careful when working with the commands in this article as they have the potential to cause a lot of damage to your data. If you are working with virtual machines make sure you take a snapshot of your virtual machine beforehand, or otherwise have some other form of up to date backup before proceeding. Note that a snapshot must not be taken until after the virtual disk has been increased, otherwise you will not be able to increase it. It could also be worth cloning the virtual machine first and testing out this method on the clone.


Prerequisites: As this method uses the additional space to create a primary partition, you must not already have 4 partitions as you will not be able to create more than 4. If you do not have space for another partition then you will need to consider a different method, there are some others in the above list.

Throughout examples we will be working with a VMware virtual machine running Debian 6, this was set up with a 20gb disk and we will be increasing it by 10gb for a total final size of 30gb.

Identifying the partition type

As this method focuses on working with LVM, we will first confirm that our partition type is actually Linux LVM by running the below command.

```
fdisk -l
```

image.png and or type unknown

As you can see in the above image /dev/sda3 is listed as “Linux LVM” and it has the ID of 8e. The 8e hex code shows that it is a Linux LVM, while 83 shows a Linux native partition. Now that we have confirmed we are working with an LVM we can continue. For increasing the size of a Linux

native partition (hex code 83).

Below is the disk information showing that our initial setup only has the one 95gb disk currently, which is under the logical volume named `/dev/mapper/rl-root` – this is what we will be expanding with the new disk.

 image not found or type unknown

Note: that `/dev/mapper/rl-root` is the volume made up from `/dev/sda3` currently – this is what we will be expanding.

Increasing the virtual hard disk

First off we increase the allocated disk space on the virtual machine itself. This is done by right clicking the virtual machine in vSphere, selecting edit settings, and then selecting the hard disk. In the below image I have changed the previously set hard disk of 100gb to 350gb while the virtual machine is up and running. Once complete click OK, this is all that needs to be done in VMware for this process.

 image not found or type unknown

If you are not able to modify the size of the disk, the provisioned size setting is greyed out. This can happen if the virtual machine has a snapshot in place, these will need to be removed prior to making the changes to the disk. Alternatively you may need to shut down the virtual machine if it does not allow you to add or increase disks on the fly, if this is the case make the change then power it back on.

Detect the new disk space

Once the physical disk has been increased at the hardware level, we need to get into the operating system and create a new partition that makes use of this space to proceed.

Before we can do this we need to check that the new unallocated disk space is detected by the server, you can use “`fdisk -l`” to list the primary disk. You will most likely see that the disk space is still showing as the same original size, at this point you can either reboot the server and it will detect the changes on boot or you can rescan your devices to avoid rebooting by running the below command. Note you may need to change `host0` depending on your setup.

```
echo "- - -" > /sys/class/scsi_host/host0/scan
```

Below is an image after performing this and confirming that the new space is displaying.

Partition the new disk space

As outlined in my previous images the disk in my example that I am working with is /dev/sda, so we use fdisk to create a new primary partition to make use of the new expanded disk space. Note that we do not have 4 primary partitions already in place, making this method possible.

```
fdisk /dev/sda
```

We are now using fdisk to create a new partition, the inputs I have entered in are shown below in bold. Note that you can press 'm' to get a full listing of the fdisk commands.

'n' was selected for adding a new partition.

Welcome to fdisk (util-linux 2.32.1).

Changes will remain in memory only, until you decide to write them.

Be careful before using the write command.

GPT PMBR size mismatch (209715199 != 734003199) will be corrected by write.

The backup GPT table is not on the end of the device. This problem will be corrected by write.

Command (m for help):

As I already have /dev/sda1, sda2 and sda3 as shown in previous images, I have gone with using '4' for this new partition which will be created as /dev/sda4

Enter the "n" for new partition and enter for the rest of the defaults

Command (m for help): n

Partition number (4-128, default 4):

First sector (209713152-734003166, default 209713152):

Last sector, +sectors or +size{K,M,G,T,P} (209713152-734003166, default 734003166):

Created a new partition 4 of type 'Linux filesystem' and of size 250 GiB.

Command (m for help):

'p' to view the current changes in the session

```
Command (m for help): p
Disk /dev/sda: 350 GiB, 375809638400 bytes, 734003200 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: gpt
Disk identifier: AFF16F8B-94D1-4D49-9BB2-C99EAE573683
```

Device	Start	End	Sectors	Size	Type
/dev/sda1	2048	1230847	1228800	600M	EFI System
/dev/sda2	1230848	3327999	2097152	1G	Linux filesystem
/dev/sda3	3328000	209713151	206385152	98.4G	Linux LVM
/dev/sda4	209713152	734003166	524290015	250G	Linux filesystem

```
Command (m for help):
```

At this point if you do not see the correct added space on `/dev/sda4` you will need to reboot the server.

As you can see the new partition of 150gb is a 8e meaning a Linux file system which is correct, older version we needed to change this.

'w' is used to write the table to disk and exit, basically all the changes that have been done will be saved and then you will be exited from fdisk.

```
Command (m for help): w
The partition table has been altered.
Syncing disks.
```

You will see a warning which basically means in order to use the new table with the changes a system reboot is required. If you can not see the new partition using "fdisk -l" you may be able to run "partprobe -s" to rescan the partitions. In my test I did not require either of those things at this stage (I do a reboot later on), straight after pressing 'w' in fdisk I was able to see the new `/dev/sda3` partition of my 10gb of space as displayed in the below image.

That's all for partitioning, we now have a new partition which is making use of the previously unallocated disk space from the increase in VMware.

Increasing the logical volume

We use the `pvcreate` command which creates a physical volume for later use by the logical volume manager (LVM). In this case the physical volume will be our new `/dev/sda4` partition.

```
pvcreate /dev/sda4
```

Physical volume `"/dev/sda4"` successfully created.

Next we need to confirm the name of the current volume group using the `vgdisplay` command. The name will vary depending on your setup, for me it is the name of my test server. `vgdisplay` provides lots of information on the volume group, I have only shown the name and the current size of it for this example.

```
vgdisplay
```

```
--- Volume group ---
VG Name                rl
System ID
Format                 lvm2
Metadata Areas         1
Metadata Sequence No   3
VG Access               read/write
VG Status               resizable
MAX LV                 0
Cur LV                 2
Open LV                 2
Max PV                 0
Cur PV                 1
Act PV                 1
VG Size                98.41 GiB
PE Size                4.00 MiB
Total PE               25193
Alloc PE / Size        25193 / 98.41 GiB
Free PE / Size          0 / 0
VG UUID                16Qr51-iLg8-HDNB-MkUc-TB5c-dL9j-rnpHUE
```

Now we extend the 'rl' volume group by adding in the physical volume of `/dev/sda4` which we created using the `pvcreate` command earlier.

```
vgextend rl /dev/sda4
```

Volume group `"rl"` successfully extended

Using the `pvscan` command we scan all disks for physical volumes, this should confirm the original `/dev/sda5` partition and the newly created physical volume `/dev/sda4`

```
pvscan
```

```
PV /dev/sda3  VG rl          lvm2 [98.41 GiB / 0   free]
PV /dev/sda4  VG rl          lvm2 [<250.00 GiB / <250.00 GiB free]
Total: 2 [<348.41 GiB] / in use: 2 [<348.41 GiB] / in no VG: 0 [0   ]
```

Next we need to increase the logical volume (rather than the physical volume) which basically means we will be taking our original logical volume and extending it over our new partition/physical volume of `/dev/sda4`.

Firstly confirm the path of the logical volume using `lvdisplay`. This path name will vary depending on your setup.

```
lvdisplay
```

```
--- Logical volume ---
LV Path          /dev/rl/root
LV Name          root
VG Name          rl
LV UUID          mb2gT4-2oqM-8icq-B8S6-A3lZ-9lvi-scDZqS
LV Write Access   read/write
LV Creation host, time mfb-us-lin-001, 2022-10-08 19:34:32 -0400
LV Status        available
# open           1
LV Size          94.45 GiB
Current LE       24180
Segments         1
Allocation       inherit
Read ahead sectors   auto
- currently set to  8192
Block device      253:0
```

```
--- Logical volume ---
LV Path          /dev/rl/swap
LV Name          swap
VG Name          rl
LV UUID          NWNCL3-rzD7-av3v-IRP0-OQy9-4CcE-phna9T
LV Write Access   read/write
LV Creation host, time mfb-us-lin-001, 2022-10-08 19:34:33 -0400
LV Status        available
# open           2
LV Size          <3.96 GiB
Current LE       1013
Segments         1
Allocation       inherit
Read ahead sectors   auto
- currently set to  8192
Block device      253:1
```

The logical volume is then extended using the `lvextend` command.

```
lvextend /dev/rl/root /dev/sda4
```

Size of logical volume rl/root changed from 94.45 GiB (24180 extents) to <344.45 GiB (88179 extents).
Logical volume rl/root successfully resized

There is then one final step which is to resize the file system so that it can take advantage of this additional space, this is done using the `xfs_growfs` command. Note that this may take some time to complete, it took about 30 seconds for my additional space.

```
xfs_growfs /dev/rl/root
```

```
meta-data=/dev/mapper/rl-root  isize=512  agcount=4, agsize=6190080 blks
        =               sectsz=512   attr=2, projid32bit=1
        =               crc=1        finobt=1, sparse=1, rmapbt=0
        =               reflink=1    bigtime=0 inobtcount=0
data      =               bsize=4096  blocks=24760320, imaxpct=25
        =               sunit=0      swidth=0 blks
naming    =version 2           bsize=4096  ascii-ci=0, ftype=1
log        =internal log      bsize=4096  blocks=12090, version=2
        =               sectsz=512   sunit=0 blks, lazy-count=1
realtime   =none              extsz=4096  blocks=0, rtextents=0
data blocks changed from 24760320 to 90295296
```

That’s it, now with the ‘df’ command we can see that the total available disk space has been increased.

```
df -h
```

Filesystem	Size	Used	Avail	Use%	Mounted on
devtmpfs	1.8G	0	1.8G	0%	/dev
tmpfs	1.8G	0	1.8G	0%	/dev/shm
tmpfs	1.8G	8.7M	1.8G	1%	/run
tmpfs	1.8G	0	1.8G	0%	/sys/fs/cgroup
/dev/mapper/rl-root	345G	85G	260G	25%	/
/dev/sda2	1014M	319M	696M	32%	/boot
/dev/sda1	599M	5.8M	594M	1%	/boot/efi
tmpfs	367M	0	367M	0%	/run/user/0

260gb more drive space, aaaaaaah ☐☐